

# About Brey-Krause Manufacturing Co.



Located in Bethlehem, PA

Brey-Krause manufactures a comprehensive line of commercial washroom accessories that are **100% made in the USA**. Since 1909, Brey-Krause has maintained a reputation for producing quality products at competitive prices in a timely manner. As we celebrate **our 100th Anniversary**, Brey-Krause continues its tradition of manufacturing excellence.

Innovative engineering is a hallmark of Brey-Krause products, from cost-effective product enhancements to installation improvements. Our engineers will assist in the design, development and production of special and custom products. The 68,000 square foot manufacturing facility is equipped with a full range of state-of-the-art fabrication equipment. Brey-Krause has the manufacturing expertise and flexibility to resolve problems and satisfy customer needs.

Skilled customer service representatives provide expert advice and product information for all of your project needs. Product samples, technical data sheets, and prompt price quotes are available upon request.

Visit us at [www.breykrause.com](http://www.breykrause.com) for more details.

# Distributor Package

The distributor package is a grouping of our most popular products. These are the frequently ordered items that we feel stocking distributors should have access to at all times. Every product in the distributor package is in stock on our shelves and ready to ship the same day your order is placed (some restrictions apply).



## 5 Pack Grab Bars

Brey-Krause maintains "ready to ship" stock on 1-1/4" (D-77 Series) and 1-1/2" (D-78 Series) diameter straight grab bars in several lengths.

These bars utilize the round snap-on flange style and are packaged 5 bars to a box.

**D-7812-05-SS** 18" 5 pack

**D-7813-05-SS** 24" 5 pack (D-77 available)

**D-7816-05-SS** 36" 5 pack (D-77 available)

**D-7815-05-SS** 42" 5 pack (D-77 available)

**D-7817-05-SS** 48" 5 pack (D-77 available)

**D-7821-05-SS** 30" 5 pack



## Universal Frame Mirror

Our mirrors are boxed individually and can ship by virtually any means without breakage.

Convert easily to fixed or adjustable tilt mirrors thereby reducing your inventory carrying costs.

### Flat Mirror

**T-1016-20-SS** 16" Wide X 20" Mirror

**T-1016-24-SS** 16" Wide X 24" Mirror

**T-1018-24-SS** 18" Wide X 24" Mirror

**T-1018-30-SS** 18" Wide X 30" Mirror

**T-1018-36-SS** 18" Wide X 36" Mirror

**T-1024-30-SS** 24" Wide X 30" Mirror

**T-1024-36-SS** 24" Wide X 36" Mirror

### Fixed Tilt Mirror Frame (Frame only)


**T-1118-30-SS** 18" Wide x 30" Tall Fixed Tilt Frame

**T-1118-36-SS** 18" Wide x 36" Tall Fixed Tilt Frame

**T-1124-36-SS** 24" Wide x 36" Tall Fixed Tilt Frame

### T-1050-SS

Adjustable Tilt Mirror Brackets



## Surface Mount Seat Cover Dispenser

**C-1031-SS**

Unit is fabricated of 22 ga. stainless steel with a satin finish. It is fitted with a tumbler lock, and hinged with a stainless steel piano hinge for easy loading of contents.

11-1/2" H x 15" W x 2-1/2" Depth



## C-Fold Paper Towel Dispenser

**C-1030-SS**

Unit is fabricated of 22 ga. stainless steel with a satin finish. It is fitted with a tumbler lock, heavy duty stainless steel piano hinge, and a refill indicator slot on both sides of the cabinet.

14-1/2" H x 11" W x 4" Depth



## Sanitary Napkin Disposal

**C-1010-SS**

Unit is fabricated of 22 ga. stainless steel with a satin finish. The bottom panel is fitted with a tumbler lock and hinged with a stainless steel piano hinge for easy removal of contents. The lid is also attached with a stainless steel piano hinge.

10-1/2" H x 8-7/8" W x 3-7/8" Depth

# Grab Bar Flange Styles

Grab bars are fabricated from 18 ga. (.049) stainless steel tube and are available in a variety of flange styles (depicted below) and bar configurations (on next page).

To Order:

Specify the type of flange and tube diameter required by flange number (below).


Specify the shape and size of bar by bar # (next page).

Choose the finish of the bar: SS = Satin Finish BS = Bright Stainless (Other finishes and Powder Coating are available.)

Optional: choose a non-slip gripping surface: P = Peened K = Knurled

Example: Flange # + Bar # - Finish - Grip = D-7213-SS-P  
 D-72 + 13 - SS - P = D-7213-SS-P



## Oval Exposed



D-65: 1" tube diameter  
 D-67: 1-1/4" tube diameter  
 D-79: 1-1/2" tube diameter

*Exposed screw mount*

## Oval Snap-on




*Cover rotates to expose mounting holes for easier installation.*

D-89: 1" tube diameter  
 D-90: 1-1/4" tube diameter  
 D-91: 1-1/2" tube diameter

*Snap-on flange mounts like the exposed flange but has a factory installed cover which conceals the mounting screws.*

## Round Snap-on



D-76: 1" tube diameter  
 D-77: 1-1/4" tube diameter  
 D-78: 1-1/2" tube diameter

*Snap-on flange mounts like the exposed flange but has a factory installed cover which conceals the mounting screws.*

## Round Exposed Heavy Duty



Bolt Hole Circle  
 2 1/4"



D-73: 1" tube diameter  
 D-74: 1-1/4" tube diameter  
 D-75: 1-1/2" tube diameter

*Exposed screw mount*


## Round Exposed



D-44: 1" tube diameter  
 D-45: 1-1/4" tube diameter  
 D-46: 1-1/2" tube diameter

*Exposed screw mount*

## Concealed



11 ga.  
 3" Diameter



*Three 1/4"-20 set screws in lip*

D-69: 1" tube diameter  
 D-71: 1-1/4" tube diameter  
 D-72: 1-1/2" tube diameter

*Concealed flange locks to a tenon plate with stainless steel set screws once the tenon plate has been mounted.*

# Grab Bars


NOTE: Grab bar lengths and bends can be modified to meet architectural requirements.  
 Grab bar numbers in red are fabricated with slip supports for installation flexibility. Large grab bars can be specified with two piece construction and splice kits to allow shipment via UPS.  
 Welded toilet paper holders can be factory installed on most bars.

## Bar Numbers

Straight grab bars - numbers are as follows:

- |                   |                   |
|-------------------|-------------------|
| 10 = 12" straight | 14 = 32" straight |
| 11 = 16" straight | 15 = 42" straight |
| 12 = 18" straight | 16 = 36" straight |
| 13 = 24" straight | 17 = 48" straight |
| 21 = 30" straight |                   |

Specify center supports when required.



## Shower & Tub Bars

<p>19</p>	<p>20</p>	<p>27</p>	<p>75</p>
<p>23</p>	<p>22</p>	<p>53</p> <p>Right hand shown 2 piece construction</p>	<p>56</p> <p>Right hand shown 2 piece construction</p>

<p>48</p>	<p>51</p>	<p>69</p> <p>Standard bar fits 30" x 60" stall</p> <p>For custom sizes supply wall dimensions</p>
-----------	-----------	---

46

**Fabrication Options:**  
 Welded Junction, Slip Junction, and Splice with Internal Sleeve

**Reference Information:**  
 Information on mounting kits, installation, and railing components is available in our reference section, located in the back of the catalog under the red heading.

# Grab Bars

## Commode Bars

Grab bar numbers in red are fabricated with slip supports for installation flexibility.

<p><b>30</b></p>	<p><b>60</b></p>	<p><b>31</b></p>	<p><b>49</b></p>
------------------	------------------	------------------	------------------

<p><b>18</b></p>	<p><b>28</b></p>	<p><b>35</b></p>
------------------	------------------	------------------


<p><b>63</b></p>	<p><b>64</b></p>	<p><b>65</b></p>	<p><b>68</b></p>
------------------	------------------	------------------	------------------

<p><b>45</b></p>	<h3>Urinal Bars</h3>		
<p><b>41</b></p>	<p><b>44</b></p>	<p><b>43</b></p>	

## Swing Away Bar

**72**  
1" and 1 1/4" diameter only  
Other styles available

## Swing Up Bar - 1-1/4"




**D-3410-01** (Not shown)  
with toilet paper holder

**D-3410**

## Swing Up Bar with sliding lock - 1-1/4"

**D-3411**



# Mirrors

Brey-Krause universal frame mirrors set a new standard in quality and installation ease. The innovative design and fabrication method results in a mirror with superior breakage and moisture resistance.

Mirrors are fabricated from one piece, 18 ga., 5/8" x 5/8", satin finish, stainless steel angle frame with tightly mitered corners. Mirror edges are protected by cushioned adhesive strips to prevent damage. The mirror back is galvanized steel and sealed by continuously applied industrial adhesive. Mirror is secured to wall by 2 vandal/theft resistant brackets. The 1/4" float glass mirror is silvered and copper electrolytic plated by galvanic process. Mirrors meet Fed. Spec. DDM-411, DD-G-451d, ANSI 2-97.1-1983 and CPSC-Cat 2-16 CFR.



## Universal Frame Mirror

- T-1016-20-SS** 16" Wide X 20" Mirror
- T-1016-24-SS** 16" Wide X 24" Mirror
- T-1018-24-SS** 18" Wide X 24" Mirror
- T-1018-30-SS** 18" Wide X 30" Mirror
- T-1018-36-SS** 18" Wide X 36" Mirror
- T-1024-30-SS** 24" Wide X 30" Mirror
- T-1024-36-SS** 24" Wide X 36" Mirror

### 3-in-1 Mirror

With the unique and innovative Brey-Krause mirror design, you can convert your universal frame mirror into either a fixed tilt mirror or an adjustable tilt mirror.

The standard mirror snaps easily into either frame.


See the **Reference Section** for more information.

The following frames require the Universal Frame Mirror listed above.

## Adjustable Tilt Mirror

Use the Adjustable Tilt Mirror Brackets to convert the universal frame mirror to an adjustable tilt mirror.

**T-1050-SS**  
Adjustable Tilt Mirror Brackets



## Fixed Tilt Mirror

Converts any of the universal frame mirrors (above) to a fixed tilt mirror.

### Fixed Tilt Mirror Frame (Frame only)

- T-1118-30-SS** 18" Wide x 30" Tall Fixed Tilt Frame
- T-1118-36-SS** 18" Wide x 36" Tall Fixed Tilt Frame
- T-1124-36-SS** 24" Wide x 36" Tall Fixed Tilt Frame

## Mirror Shelving



**Exposed Mount Shelf (18 ga.)**  
**K-4031-16-SS** 5" deep x 16" wide  
**K-4031-18-SS** 5" deep x 18" wide  
**K-4031-24-SS** 5" deep x 24" wide

Shelves are constructed from satin finish, stainless steel with a 3/8" front lip. Integral brackets are screw mounted for added strength. Shelves are fabricated from water-jet cut blanks with smooth edges for added safety.



**Concealed Mount Shelf (16 ga.)**  
**K-4032-16-SS** 5" deep x 16" wide  
**K-4032-18-SS** 5" deep x 18" wide  
**K-4032-24-SS** 5" deep x 24" wide

# Bathroom Accessories



## C-Fold Paper Towel Dispenser C-1030-SS

Unit is fabricated of 22 ga. stainless steel with a satin finish. It is fitted with a tumbler lock, heavy duty stainless steel piano hinge, and a refill indicator slot on both sides of the cabinet.  
*(Unit protected with PVC covering, easily removable after installation.)*

**Capacity:**  
400 C-Fold paper towels without adjustment or adapters

**Overall Size:**  
14-1/2" H x 11" W x 4" Depth



## Sanitary Napkin Disposal C-1010-SS

Unit is fabricated of 22 ga. stainless steel with a satin finish. The bottom panel is fitted with a tumbler lock and hinged with a stainless steel piano hinge for easy removal of contents. The lid is also attached with a stainless steel piano hinge.  
*(Unit protected with PVC covering, easily removable after installation.)*

**Capacity:**  
1.6 Gallons

**Overall Size:**  
10-1/2" H x 8-7/8" W x 3-7/8" Depth




## Waste Can C-1020-SS

Unit is fabricated of 22 ga. stainless steel with a satin finish. The top edge is hemmed for safety.  
*(Unit protected with PVC covering, easily removable after installation.)*

**Capacity:**  
12 Gallons

**Overall Size:**  
15-3/4" W x 23" H x 8" Depth



## Surface Mount Seat Cover Dispenser C-1031-SS

Unit is fabricated of 22 ga. stainless steel with a satin finish. It is fitted with a tumbler lock, and hinged with a stainless steel piano hinge for easy loading of contents.  
*(Unit protected with PVC covering, easily removable after installation.)*

**Capacity:**  
Maximum 500 sheets


**Overall Size:**  
11-1/2" H x 15" W x 2-1/2" Depth

Available in an Antimicrobial finish, (AG).

# Stainless Accessories

## THE CONCEALED MOUNTING SYSTEM

Post is welded to mounting bracket and flange to form an integral unit. Post assembly mounts on stainless steel wall plate and is secured with set screw on bottom.



These accessories are fabricated from stainless steel, and available in satin and bright finishes. Powder coated finishes are available by special order.

The 4900 series mounting system is concealed as the post is welded to the mounting bracket and flange to form an integral unit. The post assembly mounts on a stainless steel wall plate and is secured with a set screw on the bottom.

## 4900 Series

Soap Dish



With Drain - S-4910  
Without Drain - S-4911

Soap Dish and Bar



Round 9" Bar - S-4912  
Soap Dish same as S-4910

Tumbler Toothbrush Holder



S-4920  
4 1/4" x 3"; 2 1/4" hole for tumbler,  
6 toothbrush holes

Single Hook Holder



S-4931  
Projects 2"  
S-4933  
Projects 4 1/4"

Double Hook



S-4932  
Projects 2"

Hat and Coat Hook



S-4935

Towel Bar



Round 3/4" Bar - S-4942  
Square 3/4" Bar - S-4943  
Available in 18", 24", and 30"

Towel Ring



S-4944  
1/4" rod; 5" wide, 4 1/4" high;  
Projects 2 1/4"

Towel Pin



S-4948  
Projects 4 1/4"

Toilet Paper Holder



Chrome Plastic Roller - S-4950  
White Plastic Roller - S-4953

Double Toilet Paper Holder



Chrome Plastic Roller - S-4959  
White Plastic Roller - S-4958

Door Bumper



S-4947

Utility Shelf



S-4973  
Projects 6 3/16"  
Available in 18", 24", and 30"

Towel Supply Shelf



Without drying rod - S-4972  
With drying rod - S-4974  
With drying rod and braces - S-4977  
Available in 18", 24", and 30"

Finish codes

BS- Bright Stainless  
SS- Satin Stainless  
AG- Antimicrobial


To Order

Specify the part number, finish code and length where applicable.  
Example: S-4942-24-SS

# Stainless Accessories

## THE CONCEALED MOUNTING SYSTEM

All accessories are mounted directly to the wall surface. Mount is concealed by a snap-on escutcheon plate 2 1/8" x 1 3/4".



These accessories are fabricated from stainless steel, and available in satin and bright finishes. Powder coated finishes are available by special order.

All accessories are mounted directly to the wall surface. The mount is concealed by a snap-on escutcheon plate that is 2-5/8" x 1-3/4".

## 4500 Series

Soap Dish



With Drain - S-4510  
Without Drain - S-4511

Soap Dish and Bar



Round 9" Bar - S-4512  
Soap Dish same as S-4510

Tumbler Toothbrush Holder



S-4520  
4-1/4" x 3"; 2-1/4" hole for tumbler,  
6 toothbrush holes

Single Hook



S-4531  
Projects 2"  
S-4533  
Projects 4 1/4"

Double Hook



S-4532  
Projects 2"

Hat and Coat Hook



S-4535

Towel Bar



Round 3/4" Bar - S-4542  
Square 3/4" Bar - S-4543  
Available in 18", 24", and 30"

Towel Ring



S-4544  
1/4" rod; 5" wide, 4-1/4" high;  
Projects 2-1/4"

Towel Pin



S-4548  
Projects 4-1/4"

Toilet Paper Holder



Chrome Plastic Roller - S-4550  
White Plastic Roller - S-4553

Double Toilet Paper Holder



Chrome Plastic Roller - S-4559  
White Plastic Roller - S-4558

Towel Supply Shelf



Without drying rod - S-4572  
With drying rod - S-4574  
With drying rod and braces - S-4577  
Available in 18", 24", and 30"

Utility Shelf



S-4573  
Projects 6-3/16"  
Available in 18", 24", and 30"


Finish codes

BS- Bright Stainless  
SS- Satin Stainless  
AG- Antimicrobial

To Order

Specify the part number, finish code and length where applicable.  
Example: S-4542-24-SS

# Stainless and Brass Accessories



The Sophisticate Series combines the strength and durability of commercial washroom accessories with the aesthetic appeal of residential design. The Sophisticate Series utilizes the time-tested and durable strength of stainless steel with the beauty of genuine polished brass. A full line of surface mounted accessories, grab bars, shower rods and bath accessories are available.

## Sophisticate Series

Soap Dish



With Drain - S-4810  
Without Drain - S-4811

Tumbler Toothbrush Holder



S-4820  
4-1/4" x 3"; 2-1/4" hole for tumbler,  
6 toothbrush holes

Single Hook



S-4831  
Projects 2"  
S-4833  
Projects 4 1/4"

Double Hook



S-4832  
Projects 2"

Hat and Coat Hook



S-4835

Towel Bar



Round 3/4" Bar - S-4842  
Square 3/4" Bar - S-4843  
Available in 18", 24", and 30"

Towel Ring



S-4844  
1/4" rod; 5" wide, 4-1/4" high;  
Projects 2-1/4"

Towel Pin



S-4848  
Rectangular tabular projection of 4-1/4"

Toilet Paper Holder



Chrome Plastic Roller - S-4850  
Double Chrome Plastic Roller - S-4859

Utility Shelf



S-4873  
Projects 6-3/16"  
Available in 18", 24", and 30"

Towel Supply Shelf




Without drying rod - S-4872  
With drying rod - S-4874  
With drying rod and braces - S-4877  
Available in 18", 24", and 30"

Finish codes

BB- Bright Brass

Ask about matching grab bars and shower rods that are also available

# Brass Accessories



The 3700 series of brass bathroom accessories are fabricated from solid brass, and are available in a satin chrome, bright chrome, or natural brass finish. Natural brass finishes are clear powder coated to preserve the finish and provide lasting beauty.

Accessories are mounted with a mounting bracket which is screwed to the wall. The escutcheon plate then covers the mounting bracket and is fixed in place with a set screw in the post.

Soap Dish



With Drain - B-3710  
Without Drain - B-3711

Tumbler Toothbrush Holder



B-3720

Single Hook



B-3731  
1-3/4" Projection

Single Hook



B-3736  
5" Projection

Double Hook



B-3730

Towel Bar



Round - B-3740  
Square - B-3743  
Available in 18", 24", and 30"

Towel Ring



B-3744

Toilet Paper Holder



B-3750

Double Toilet Paper Holder



B-3759

## Finish codes

BC- Bright Chrome  
SC- Satin Chrome

# Recessed Washroom Accessories

The 2600 series washroom accessories are fabricated from stainless steel, and available in satin or bright finishes. Brass units and powder coated finishes are available by special order. The standard recessed shell is 6-1/4" x 6-1/4" with a required wall opening of 5-1/4" x 5-1/4" x 2". The heavy duty recessed shell is 7-1/8" x 5" with a required wall opening of 6-3/4" x 3-3/4" x 2-3/4".

## S-2680:

### Rectangular Recessed Tissue Dispenser Box



**Overall Size:** 11-7/8" x 6-1/8" x 4"  
**Rough Wall Opening:** 10-3/4" x 5-1/4" x 4"

## S-2681:

### Square Recessed Tissue Dispenser Box



**Overall Size:** 6-1/2" x 6-1/2"  
**Rough Wall Opening:** 5-1/2" x 5-1/2" x 5-1/2"

Faceplate snaps off for quick and easy refilling

## S-2675

### Hinged Hood Surface Mount Recess Shell



**Overall Size:** 6-5/8" x 6-5/8"

Hood protects paper. Heavy duty plastic spindle holds up to 5-1/8" wide roll of paper.

### S-2676 - Hinged Hood Surface Mount Double Recess Shell

## S-2652

### Recessed Toilet Tissue Dispenser with Storage



**Overall Size:** 6-1/2" x 6-1/2"  
**Rough Wall Opening:** 5-1/2" x 5-1/2" x 4"

Heavy duty plastic spindle holds rolls up to 4-1/2". Recessed mounting cabinet measures 5" x 5" x 3-15/16", and is deep enough to hold a spare roll.

## Soap Dish



### S-2612

22 ga. stainless steel with plastic dish  
**S-2611:** 22 ga. stainless steel without plastic dish

## Toilet Paper Holder



### S-2650

**S-2651 (w/ hinged hood)**  
 22 ga. stainless steel with a chrome plastic roller.  
**S-2640:** same as S-2650, but with chrome plated posts.

## Soap Dish and Bar



### S-2615

22 ga. stainless steel with plastic dish  
**S-2614:** 22 ga. stainless steel without plastic dish  
**S-2645:** 22 ga. stainless steel with plastic dish with chrome plated posts.  
**S-2644:** 22 ga. stainless steel with chrome plated posts.

## Heavy Duty Soap Dish



### S-2634

20 ga. stainless steel with soap lip  
**Mortar mount shown with welded lugs.**

**S-2634-01:** 20 ga. stainless steel with soap lip with drywall mounting clamp.  
**S-2630:** 20 ga. stainless steel with soap lip and without bar.  
**S-2630-01:** 20 ga. stainless steel with soap lip, without bar with drywall mounting clamp.  
**S-2632:** Heavy Duty Soap Dish only, with mortar mount welded lugs

## Mounting Systems

Recessed units can be mounted using either a dry wall clamp, or tile-type lugs.

### Dry Wall Clamp S-2609-01



### Tile Type Lugs S-2601-01



# Washroom Accessories

**S-2659**  
Recessed Double Toilet Tissue Dispenser



**Overall Size:** 12-1/2" x 6-1/4" "  
**Rough Wall Opening:** 11-1/2" x 5 1/4" x 2"

22 ga. stainless steel . Heavy duty plastic spindle holds up to 5-1/8" wide roll of paper.

**S-2659-01**  
Hinged Hood Recessed Double Toilet Tissue Dispenser



**Overall Size:** 12-1/2" x 6-1/4" "  
**Rough Wall Opening:** 11-1/2" x 5 1/4" x 2"

22 ga. stainless steel with hood to protect paper. Heavy duty plastic spindle holds up to 5-1/8" wide roll of paper.

**S-2661**  
Vertical Recessed Double Toilet Tissue Dispenser



**Overall Size:**  
6-1/4" x 12-1/2"  
**Rough Wall Opening:**  
5 1/4" x 11-1/2" x 2"

22 ga. stainless steel . Heavy duty plastic spindle holds up to 5-1/8" wide roll of paper.

**S-2661-01**  
Vertical Hinged Hood Recessed Double Toilet Tissue Dispenser



**Overall Size:**  
6-1/4" x 12-1/2"  
**Rough Wall Opening:**  
5 1/4" x 11-1/2" x 2"

22 ga. stainless steel with hood to protect paper. Heavy duty plastic spindle holds up to 5-1/8" wide roll of paper.

**Double Roll Toilet Tissue Dispenser (Surface Mount)**



**C-1040-SS**  
22 ga. stainless steel, holds two 5 1/4" dia. rolls, pivoting front cover equipped with tumbler lock.  
4 13/16" x 13 1/4" x 4"

**Double Roll Toilet Tissue Dispenser w/ Hinged Hoods (Surface Mount)**




**C-1040-01-SS**  
22 ga. stainless steel, holds two 5 1/4" dia. rolls, pivoting frontcover equipped with tumbler lock.  
4 13/16" x 13 1/4" x 4"

## Mounting Systems

Recessed units can be mounted using either a dry wall clamp, or tile-type lugs.

**Vertical Dry Wall Clamp S-2619-01 (for use with S-2661 and S-2661-01)**



**Dry Wall Clamp S-2609-01**



**Tile Type Lugs S-2601-01**



Note: Double dispensers require two (2) clamps / lug sets per unit

# Shower and Tub Seats

Shower and tub seats are constructed to meet A.D.A. accessibility guidelines. Folding shower seats utilize a self-locking mechanism. One piece phenolic tops are 1/2" thick. White poly tops are 1/2" thick, and stainless steel tops are 14 gauge. Seat frames are fabricated from stainless steel. Other models and sizes are available upon request.



The unique Brey-Krause design eliminates having to stock multiple shower seats or pre-determine the handing required. The Brey-Krause "reversible handing" shower seats enable one shower seat to be simply installed in either the left-hand or the right-hand configuration. [See the Reference Section in the back of the catalog for a detailed explanation.](#)



## S-6215-SS

18" X 16" folding shower seat with one piece white poly top.

## S-6216-SS

18" X 16" folding shower seat with one piece stainless steel top.

## S-6276-SS

18" X 16" folding shower seat with one piece woodgrain phenolic top.

## S-6275-SS

18" X 16" folding shower seat with one piece ivory phenolic top.



## Reversible Handing

### S-6212-SS

32" X 23" folding shower seat with one piece white poly top.

### S-6280-SS

32" X 23" folding shower seat with one piece woodgrain phenolic top.

### S-6279-SS

32" X 23" folding shower seat with one piece ivory phenolic top.



## S-6202-SS

Left hand shower seat with stainless top.

## S-6203-SS

Right hand shower seat with stainless top.

*See our Security Section for more information on this seat.*



## S-6278-SS

32-1/2" x 16" folding tub seat with 1/2" x 3" one piece woodgrain phenolic top.

## S-6277-SS

32-1/2" x 16" folding tub seat with 1/2" x 3" one piece ivory phenolic top.

## S-6017-SS

32-1/2" x 16" folding tub seat with one piece white poly top.



## S-6018-SS

9" x 21-1/2" removable stainless steel tub seat fits tub with 3.5" wide lip with white poly top. *(shown above)*

## S-6096-SS

9" x 21-1/2" removable stainless steel tub seat fits tub with 3.5" wide lip with 16 ga. stainless steel top.



## S-6095-SS

11 ga. 8" x 23-3/4" removable stainless steel tub seat with integral stiffening flange.

# Shower Rod Flanges



Flat, round exposed mount flange with welded collar for added strength. One flange has a set screw (supplied) hole to the secure shower rod. Flange is .180 thick x 3" dia. stainless steel.

S-4673: 1" Hole  
S-4674: 1-1/4" Hole  
Finishes: SS, BS



Formed, round exposed mount flange with welded collar for added strength. One flange has a set screw (supplied) hole to the secure shower rod. Flange is .120 thick x 1/2" depth x 3" dia. stainless steel.

S-4640: 1" Hole  
S-4642: 1-1/4" Hole  
Finishes: SS, BS



Formed round exposed mount flange (no welded collar). Flange is .120 thick x 1/2" depth x 3" dia. stainless steel.

S-4651: 1" Hole  
S-4656: 1-1/4" Hole  
Finishes: SS, BS



Solid one piece round exposed mount flange (light & heavy duty). One flange has a set screw (supplied) hole to the secure shower rod. Made from cast brass.

B-2960: 1" Hole (light) - 2.219 dia.  
B-2961: 1" Hole (heavy) - 2.562 dia.  
B-2965: 1-1/4" Hole - 2.625 dia.  
Finishes: BC, SC, SB, BB



Formed light duty round exposed mount flange with formed collar. Identical pairs. Flange is 2.75" dia. stainless steel.

S-4660: 1" Hole  
S-4665: 1-1/4" Hole  
Finishes: SS, BS



Formed light duty round exposed mount flange (no formed collar.) Identical pairs.

Flange is 3" dia. x .420" depth stainless steel.

S-4661: 1" Hole  
S-4666: 1-1/4" Hole  
Finishes: SS, BS



Formed round concealed mount flange with welded collar for added strength. One flange has a set screw (supplied) hole to the secure shower rod. Zinc plated mounting plate and set screws supplied. Flange is .120 thick x 1/2" depth x 3" dia. stainless steel.

S-4669: 1" Hole  
S-4671: 1-1/4" Hole  
Finishes: SS, BS



Formed, round concealed mount flange (no welded collar) Zinc plated concealed mount back plate & set screws supplied. Flange is .120 thick x 1/2" depth x 3" dia. stainless steel.

S-4693: 1" Hole  
S-4679: 1-1/4" Hole  
Finishes: SS, BS



Formed, round concealed mount snap-on flange and cover. Flange has a welded collar concealed by snap-on cover. Made from 3" dia. x .078" thick stainless steel.

S-4691: 1" Hole  
S-4696: 1-1/4" Hole  
Finishes: SS, BS

# Shower Rod Flanges, Rods & Accessories



Formed oval concealed mount snap-on flange and cover. Flange has welded light duty collar and is concealed by a snap-on cover that snaps onto flange after mounting. Made from stainless steel.

**S-4690:** 1" Hole  
**S-4695:** 1-1/4" Hole  
 Finishes: SS, BS



Formed round exposed mount break-away flange. Spring loaded design releases shower rod under load. Made from stainless steel. Flange is .120 thick x 1/2" depth x 3" dia. stainless steel.

**S-4650:** 1" Hole  
 Break-away Flange  
 Finishes: SS, BS



Solid concealed mount collar flange (supplied) and mounting plate. One flange has a set screw to secure the shower rod. Brass collar screws onto brass mounting plate.

**Note:** Stainless Steel version is also available (SS, BS)

**B-4360:** 1" Hole  
**B-4365:** 1 1/4" Hole  
 Finishes: BC, SC, SB, BB, SS, BS



Solid one piece exposed mount 45 degree flange. One flange has a set screw (supplied) to secure shower rod. Made from cast brass.

**B-2946:** 1" Hole  
**B-2948:** 1-1/4" Hole  
 Finishes: BC, SC, SB, BB (45°)



Solid one piece 90 degree T-connector. Two set screws (supplied) secure the rod. Made from cast brass.

**D-6060:** 1" Hole  
**D-6062:** 1-1/4" Hole  
 Finishes: BC, SC, SB, BB (Tee)

## Finish codes

BS- Bright Stainless Steel  
 SS- Satin Stainless Steel  
 SN- Satin Nickel-Plated Brass  
 SC- Satin Chrome-Plated Brass  
 BC- Bright Chrome-Plated Brass  
 BB- Bright Brass  
 SB- Satin Brass  
 AG- Antimicrobial - available for all bars  
 Other finishes available

## Shower Rods

XX = length of tube

### Tube Diameter: 1" Stainless

**U-1023-60"**  
 Wall/Gauge: .015 - Finish: BS

**U-1024-XX"**  
 Wall/Gauge: .035/20 - Finishes: SS, BS

**U-1025-XX"**  
 Wall/Gauge: .049/18 - Finishes: SS, BS

### Tube Diameter: 1-1/4" Stainless

**U-1029-XX"**  
 Wall/Gauge: .035/20 - Finishes: SS, BS

**U-1030-XX"**  
 Wall/Gauge: .049/18 - Finishes: SS, BS

### Tube Diameter: 1-1/2" Stainless

**U-1040-XX"**  
 Wall/Gauge: .049/18 - Finishes: SS, BS

## Heavy Duty Towel Bars



**Tube Diameter: 1"**  
**D-6010-XX**  
 (Shown)  
**Wall/Gauge:** .035/20  
 Finishes: SS, BS, BC, SC, SB, BB

**Tube Diameter: 1-1/4"**  
**D-6020-XX**  
**Wall/Gauge:** .035/20  
 Finishes: SS, BS, BC, SC, SB, BB

Parts are constructed of solid brass and are available with stainless steel. To order specify part number, length and finish.

XX = length of tube: 18", 24", 30"

## Accessories



### Snap Hook

**U-5311-BS:** Fits both 1" and 1-1/4" Tube



### Roller Snap-hook

**U-0151-BS:** Fits both 1" and 1-1/4" Tube

# Curved Shower Rod Systems

Curved Shower Rods are offset by 9 inches and greatly increase the space available behind the shower curtain. Compared to traditional curved shower rod styles with a 6-inch offset, Brey Krause's design adds 105% additional shoulder & elbow room from front to back (see diagram below).


The bars are fabricated from 1-inch diameter 18 gauge (.049 wall) stainless steel tubing, and available in bright stainless, satin stainless, and several powder-coated finishes.

6-inch offset rods are also available by request. Please contact the factory for more details.

**Note:** The shower rod and flanges are sold as one unit.



The Brey-Krause Curved Shower Rod provides 105% more shoulder and elbow room than traditional curved shower rods.



## Flange Styles:



### S-1030-SS

Part number specifies 1" diameter, 18 gauge curved shower rod with 9" offset and pair of exposed, bent mounting flanges as shown above (hardware not included).



### S-1025-SS

Part number specifies 1" diameter, 18 gauge curved shower rod with 9" offset and pair of concealed, bent mounting flanges as shown above (hardware not included).



### S-1020-SS

Part number specifies 1" diameter, 18 gauge curved shower rod with 9" offset and pair of exposed, slash-cut flanges as shown above (hardware not included).



### S-1010-SS

Part number specifies 1" diameter, 18 gauge curved shower rod with 9" offset and pair of adhesive mount, slash-cut flanges as shown above.

Shower rods and flanges available in satin stainless (SS), bright stainless (BS), and several powder-coated colors.

# Hooks

Hooks are fabricated from stainless steel and solid brass and are suitable for commercial or residential use. Stainless steel hooks are available in bright or satin finish. Brass hooks are available in bright chrome, satin chrome, or bright brass finishes. Special hooks and stainless steel hook strips can be fabricated to meet your requirements.



**G-5010**  
**Projection:** 3-1/2"  
**Height:** 4-1/2"  
**Finishes:** BC, SC, SB, BB



**S-4935**  
**Projection:** 3-1/2"  
**Height:** 6-1/4"  
**Finishes:** SS, BS



**S-5035**  
**Projection:** 2-1/4"  
**Height:** 6-1/4"  
**Finishes:** SS, BS



**B-5055**  
**Projection:** 3-3/4"  
**Height:** 4-1/2"  
**Finishes:** BC, SB, BB



**G-5012**  
**Projection:** 2-3/4"  
**Height:** 5-3/4"  
**Finishes:** BC, SC, SB, BB



**S-4831**  
**Projection:** 2"  
**Width:** 2"  
**Finishes:** BB



**S-4832**  
**Projection:** 2"  
**Diameter:** 4"  
**Finishes:** BB



**B-5040**  
**Projection:** 3"  
**Diameter:** 2"  
**Finishes:** BC, SC, SB, BB



**B-5015**  
**Projection:** 3"  
**Height:** 2-1/2"  
**Finishes:** BC, SC, SB, BB



**S-5036**  
**Projection:** 1-1/4"  
**Height:** 2-1/4"  
**Finishes:** SS, BS



**B-5060**  
**Projection:** 1-3/4"  
**Height:** 1-3/8"  
**Finishes:** BC, SC, SB, BB



**B-5061**  
**Projection:** 1-1/4"  
**Height:** 1-3/4"  
**Finishes:** BC, SC, SB, BB



**B-2435**  
**Projection:** 3"  
**Height:** 2-1/4"  
**Finishes:** BC, SC, SB, BB



**G-2006-02**  
**Projection:** 3"  
**Height:** 1-11/16"  
**Finishes:** BC, SC, SB, BB



**B-5010**  
**Projection:** 3"  
**Height:** 3-1/4"  
**Finishes:** BC, SC, SB, BB



**B-5034**  
**Projection:** 3"  
**Height:** 4-1/2"  
**Finishes:** BC, SC, SB, BB



**B-5021**  
**Projection:** 3-1/4"  
**Diameter:** 3"  
**Finishes:** BC, SC, SB, BB



**B-5020**  
**Projection:** 3-1/4"  
**Diameter:** 3"  
**Finishes:** BC, SC, SB, BB



**B-3730**  
**Projection:** 2"  
**Width:** 3"  
**Finishes:** BC, SC, SB, BB



**G-5020**  
**Projection:** 3-1/4"  
**Width:** 3"  
**Finishes:** BC, SC, SB, BB



**S-4932**  
**Projection:** 2"  
**Width:** 4"  
**Finishes:** SS, BS



**B-3731**  
**Projection:** 1-3/4"  
**Width:** 2-5/8"  
**Finishes:** BC, SC, SB, BB



**S-4931**  
**Projection:** 2"  
**Width:** 2"  
**Finishes:** BS, SS



**S-4933**  
**Projection:** 4-1/2"  
**Width:** 2"  
**Finishes:** BS, SS



**B-3736**  
**Projection:** 5"  
**Width:** 2-5/8"  
**Finishes:** BC, SC, SB, BB



**B-5050**  
**Projection:** 2-1/4"  
**Width:** 3-1/2"  
**Finishes:** BC, SC, SB, BB

## Finish codes

BS- Bright Stainless Steel  
 SS- Satin Stainless Steel  
 SN- Satin Nickel-Plated Brass  
 SC- Satin Chrome-Plated Brass  
 SB- Satin Brass  
 BC- Bright Chrome-Plated Brass  
 BB- Bright Brass  
 AG- Antimicrobial

# Door Hardware

Brey-Krause door plates, corner guards, and kickplates are generally fabricated from 18 gauge, stain finish stainless steel. Plates are countersunk with holes for mounting. Corner guards, kickplates, and door guards are fabricated for either adhesive or fastener mounting (not included). The standard items are depicted below, however these items can be custom fabricated to your specifications.

## Finish codes

BS- Bright Stainless  
 SS- Satin Stainless  
 AG- Antimicrobial  
 PC - Powder Coated

## Push/Pull Plates:



**K-4740**  
 18 Gauge  
 Push Plate  
 (2 rounded  
 corners)  
**Finish:**  
 SS  
**Depth:**  
 3-1/2" x 15"



**K-4750**  
 18 Gauge  
 Push Plate  
 (4 rounded  
 corners)  
**Finish:**  
 SS  
**Depth:**  
 3-1/2" x 15"

**To Order:** For push plates specify part number and finish. For pull plates, add pull number to plate part number.

Example:

Part # + Pull (optional) + Finish

K-4740 - 01 - SS = K-4740-01-SS



**K-4730**  
 18 Gauge  
 Push Plate  
 (square  
 corners)  
**Finish:**  
 SS  
**Depth:**  
 3-1/2" x 15"



**K-4760**  
 11 Gauge  
 Push/Pull Plate  
**Finish:**  
 SS  
**Depth:**  
 3-1/2" x 15"



**-01**  
 18 Gauge  
 1" diameter  
 Pull  
**Finish:**  
 SS  
**Depth:**  
 8" cl.




**-02**  
 3/16" x 1 1/4"  
 Pull  
**Finish:**  
 SS  
**Depth:**  
 8" cl.


## Corner Guards, Kickplates, Door Guards:



**K-4430** (screw mount)  
**K-4440** (adhesive mount)  
 18 Gauge  
 Corner Guard  
**Finish:** SS  
**Depth:** 3-1/2" x 3-1/2" x 48"  
**Note:** 16 Gauge version available **K-4431, K-4441**



**K-4452** (screw mount)  
**K-4451** (adhesive mount)  
 18 Gauge  
 End-Wall Guard  
**Finish:** SS  
**Depth:** 3-1/2" x 3-1/2" x XX"  
**Note:** Must provide XX dimension



**K-4830-SS**  
 18 Gauge  
 Kickplate  
 (screw mount)  
**Depth:**  
 8" x 30"



**K-4850**  
 Door Guard  
 (screw mount)  
 1-3/4" wide door  
 has 1" edge return  
**Depth:**  
 made to order sizes



**G-1059**  
 Door Stop  
**Finish:**  
 SN, BB  
**Depth:**  
 -01: 3"  
 -02: 4"  
 -03: 5"



**G-1060-02**  
 Door  
 Stop/Holder  
**Finish:**  
 SN, BB  
**Depth:**  
 4"



**G-2049-03**  
 Door Stop  
**Finish:**  
 SN, SB  
**Depth:**  
 4"

# Partition Hardware

Brey-Krause manufactures a wide variety of stainless steel partition hardware, fabricated from stainless steel with a satin finish. Standard products and sizes are shown. For special sizes or finishes, contact the factory.

Pilaster Shoe



K-8010-SS  
3" X 3-3/8" X 1"  
K-8011-SS  
3" X 3-3/8" X 1-1/4"  
22 ga., welded  
1 piece unit

Pilaster Shoe



K-8015-SS  
3" X 3-3/8" X 1"  
K-8016-SS  
3" X 3-3/8" X 1-1/4"  
22 ga., square  
4 piece unit

Pilaster Shoe



K-8020-SS  
3" X 3-3/8" X 1"  
K-8021-SS  
3" X 3-3/8" X 1-1/4"  
22 ga., round  
4 piece unit

Pilaster Floor Anchor



K-8080-SS  
3/4" X 3" X 3"  
18 ga.

Headrail Bracket



K-8050-SS  
58" X 1"  
K-8051-SS  
58" X 1-1/4"  
18 ga.

U-Channel  
Wall Bracket



K-8055-SS  
58" X 1"  
K-8056-SS  
58" X 1-1/4"  
18 ga.

Headrail/Wall  
Bracket



K-8070-SS  
1"  
K-8071-SS  
1-1/4"  
18 ga.

Pilaster Headrail  
Bracket



K-8072-SS  
1"  
K-8073-SS  
1-1/4"  
18 ga.

F-Bracket



K-8074-SS  
1"  
K-8075-SS  
1-1/4"  
14 ga.

T- Bracket



K-8076-SS  
1"  
K-8077-SS  
1-1/4"  
14 ga.

U-Bracket



K-8088-SS  
1"  
K-8089-SS  
1-1/4"  
14 ga.

Door Pull



K-8081-SS  
4" Overall

Bumper Hook



B-5015-BC  
Chrome-plated  
brass hook with  
3" projection.

Corner Purse Shelf



K-4090-SS  
18 ga. shelf  
is 7" deep x 10" wide  
with a 1" returned edge  
on all 3 sides.

Pedestal Support



K-8065-SS  
18" high, with 2 8" x 8"  
plates with 4 mounting holes  
welded to 11 ga. stainless  
support tube.

Fixed Partition Support



K-8060-SS  
12" high, tube is 18 gauge  
stainless with 16 gauge  
mounting bracket and  
7 ga. floor flange.

Adjustable Partition  
Support



K-8061-SS  
Support adjusts from  
10"-14".  
Tube is 18 ga. stainless with  
16 ga. mounting bracket  
and 7 ga. floor flange.

# Stainless Shelving

Shelves and brackets are fabricated from stainless steel.

Standard sizes are 6" deep by 18", 24" or 36" wide. Corners are welded and ground smooth for added strength and safety.

Shelves can be fabricated in a wide range of sizes. Other styles can be custom fabricated to meet architectural requirements.

## To Order:

Specify part number, width and finish.

Specify shelf depth required if other than 6".

Example:

Part # + Width + Finish + Depth (optional)

K-4040 - 36" - SS = K-4040-36"-SS

## Finish codes

BS- Bright Stainless

SS- Satin Stainless

AG- Antimicrobial



### K-4040

Shelf top has a 3/8" returned edge on all 4 sides.  
18 ga. utility shelf with 16 gauge welded brackets

**Finish:** SS      **Depth:** 6"



Shelf top has a 3-1/2" wall flange and a 1/2" raised front lip.

**Finish:** SS      **Depth:** 6"

**K-6060:** 11 ga. shelf exposed mount

**K-6061:** 11 ga. shelf concealed mount

**K-6066:** 11 ga. shelf with toothbrush slots, exposed mount

**K-6067:** 11 ga. shelf with toothbrush slots, concealed mount



### K-4050

Shelf top has a 3/4" returned edge on all 4 sides.  
Front edge is hemmed for added safety.

18 ga. utility shelf with 16 gauge welded brackets

**Finish:** SS      **Depth:** 6"



Shelf top has a 3-1/2" backplash and a 1/2" raised front lip.

**Finish:** SS      **Depth:** 6"

**K-6062:** 11 ga. shelf with backplash, exposed mount

**K-6063:** 11 ga. shelf with backplash, concealed mount



### K-4030

Shelf top has a 3/4" returned edge on the back  
and 3/8" returned edge on the front.

End brackets are integral with shelf.

18 ga. 1 piece utility shelf.

**Finish:** SS      **Depth:** 6"



### K-4090

Corner shelf is 7" deep with 10" sides  
and a 1" returned edge on all 3 sides

18 ga. corner shelf/purse shelf

**Finish:** SS      **Depth:** 6"



### K-4070


16 ga. shelf bracket left hand  
**Finish:** SS      **Depth:** 6"

Shelf brackets are 3 3/4" high with a projection of approximately 5 1/4".

Other sizes available upon request.

**Finish:** SS

**Depth:** 3 3/4" x 5 3/4"



### K-4071

16 ga. shelf bracket right hand  
**Finish:** SS      **Depth:** 6"

# Janitorial Accessories

Shelves, brackets and hooks are fabricated from satin finish stainless steel. Janitorial accessories can be fabricated in other sizes to meet architectural requirements.

## Finish codes

To Order:  
Specify part number, size and finish.  
Example:  
Part # + Size + Finish  
K-1000 - 24" - SS = K-1000-24"-SS

BS- Bright Stainless  
SS- Satin Stainless  
SC- Satin Chrome  
BC- Bright Chrome  
AG- Antimicrobial



**Mop and Broom Holder**  
18 ga. stainless steel channel.  
Projects 3-1/2" from wall with  
four spring loaded rubber cams.

K-1001: Mop & broom holder with 3 holders  
Finish: SS                      Size: 24"  
K-1002: Mop & broom holder with 4 holders  
Finish: SS                      Size: 36"



**Utility Shelf**  
K-4050

Shelf top has a 3/4" returned edge on all 4 sides and  
is 6" deep with 16 ga. stainless steel brackets.  
Finish: SS                      Size: 36"



**Utility Shelf**

Shelf with mop and broom holder, rag hooks and drying  
rod: 18 ga. stainless steel shelf. Shelf is 8" deep with  
spring loaded rubber cams. Finish: SS  
K-1010-30": Utility shelf with 3 holders and 2 hooks  
K-1010-30"-01: same as K-1010, but with drying rod  
K-1011-36": Utility shelf with 4 holders and 3 hooks  
K-1011-36"-01: same as K-1011, but with drying rod



**Sheet Metal  
Hook**  
2-1/4"  
projection  
(stainless steel)  
S-5035  
Finish:  
SS, BS



**Clothes Hook**  
1-1/4"  
projection  
(stainless steel)  
S-5036  
Finish:  
SS, BS



**Hook Strip**

18 ga. stainless steel. Hooks are 1" wide x 6-1/2" high  
and project 2-1/4". Mounting strip is 4" high with a  
1/4" return.

K-1020: Hook strip with 3 hooks  
Finish: SS                      Size: 24"  
K-1021: Hook strip with 4 hooks  
Finish: SS                      Size: 36"



**Bumper Hook**  
3" projection  
(solid brass)  
B-5015  
Finish:  
BC, SC



**Bottle Opener**  
(stainless steel)  
S-0110  
Finish:  
SS, BS



**Bottle Opener**  
(solid brass)  
B-0110  
Finish:  
BC, SC



**Utility Shelf**

Shelf with hooks, mop and broom holders. 18 ga. stainless  
steel shelf 8" deep with spring loaded rubber cams.  
Finish: SS

K-1030: 34" Utility shelf with 3 holders and 4 hooks  
K-1031: 44" Utility shelf with 4 holders and 5 hooks

# Security and Vandal Resistant Accessories

The Brey-Krause line of security and vandal resistant accessories were designed for use in demanding environments, such as military bases, correctional facilities, and public housing.

Vandal resistant/security accessories are fabricated from satin finish stainless steel.

## Security Grab Bar with closure plate

1-1/2" diameter, 18 ga. stainless steel tube with welded 11 ga. closure plate. Exposed and concealed flanges are available. (Concealed flange shown)



### Lengths

Lengths	Concealed	Exposed
12"	D-7210-SEC	D-7510-SEC
16"	D-7211-SEC	D-7511-SEC
18"	D-7212-SEC	D-7512-SEC
24"	D-7213-SEC	D-7513-SEC
30"	D-7221-SEC	D-7521-SEC
36"	D-7216-SEC	D-7516-SEC
42"	D-7215-SEC	D-7515-SEC
48"	D-7217-SEC	D-7517-SEC

## Security Seats

Stainless steel heavy-duty shower seat capable of supporting over 500 pounds for use in security and bariatric facilities. The seat top is fabricated from 14 ga. stainless steel and available in an L-shape or rectangular-shape. All seat tops lock in the upright position using a locking hasp. (Padlock not included)



- S-6204-SS** L-Shaped Left Hand- 32" x 23" L-projection
- S-6501-SS** Rectangular 16" x 32" - Left Hand Locking Hasp
- S-6503-SS** Rectangular 16" x 38" - Left Hand Locking Hasp



- S-6205-SS** L-Shaped Right Hand- 32" x 23" L-projection
- S-6502-SS** Rectangular 16" x 32" - Right Hand Locking Hasp
- S-6504-SS** Rectangular 16" x 38" - Right Hand Locking Hasp



Locked in up position when seat is not used

Lock Hinge Assembly shown while seat is in use

# Security and Vandal Resistant Accessories

## Security Mirrors



### T-8013-SS 12" x 14"

Framed seamless corner construction exposed mount mirror.  
16 ga. polished bright stainless steel mirror with 18 ga. satin finish stainless steel frame.

### T-8014-SS 12" x 14"

### T-8014-01-SS 18" x 24"

*(Shown)*

Framed seamless corner construction concealed mount mirror.  
16 ga. polished bright stainless steel mirror with 18 ga. satin finish stainless steel frame.  
Back of frame has (6) 1/4"-20 weld nuts for the 12" x 14",  
(8) 1/4"-20 weld nuts for the 18" x 24" (studs not included).



### T-8011-SS 12" x 14"

*(Shown)*

Framed tightly mitered corner construction exposed mount mirror.  
16 ga. polished bright stainless steel mirror with 18 ga. satin finish stainless steel frame.

### T-8012-SS 12" x 14"

Framed tightly mitered corner construction concealed mount mirror.  
16 ga. polished bright stainless steel mirror with 18 ga. satin finish stainless steel frame.  
Back of frame has (8) 1/4"-20 weld nuts (studs not included).



### T-8010-BS 12" x 14"

*(Shown)*

Frameless one piece exposed mount mirror  
16 ga. polished bright stainless steel mirror.

### Hooded Toilet Paper Holder



### S-4052-SS

One piece housing is fabricated from 14 ga. stainless steel satin finish. Spindle assembly is fabricated from 7 ga. stainless steel with a 3/16" padlock hole.  
(padlock and fasteners not included)

### Double Roll Toilet Tissue Dispenser (Surface Mount)



### C-1040-SS

22 ga. stainless steel, holds two 5 1/4" dia. rolls, pivoting front cover equipped with tumbler lock.  
4 13/16" x 13 1/4" x 4"

### Double Roll Toilet Tissue Dispenser w/ Hinged Hoods (Surface Mount)



### C-1040-01-SS

22 ga. stainless steel, holds two 5 1/4" dia. rolls, pivoting front cover equipped with tumbler lock.  
4 13/16" x 13 1/4" x 4"

# Security and Vandal Resistant Accessories

Tamper proof screws are included with exposed mount units, except where noted.  
Wall sleeves and rear wall mounting kits are available. Anchors are not included.

## Break-Away Shower Flange



### S-4650-SS

Spring loaded design releases shower rod under load. 1" dia. rod. Mounts with #10 oval head screw.

## Heavy Duty Curtain Hook



### S-0152-SS

11 ga. stainless steel for 1" dia. rod.

## Security Toilet Paper Holder



### S-4050-SS

7 ga. stainless steel with 16 ga. 1" dia. tube. Exposed shown, concealed also available.

## Surface Mounted Toothbrush Holder



### S-4020-SS

11 ga. stainless steel. Exposed shown, concealed also available.

## Surface Mount Soap Dish



### S-4010-SS

11 ga. stainless steel with 3 drain holes and raised edges to hold soap.

**S-4011-SS** Concealed mount

## Surface Mount Tumbler



### S-4022-SS

11 ga. stainless steel, holds 4 brushes and cup.

### S-4023-SS

Concealed mount

## Security Towel Bar



### S-4042-24-SS

1" Dia. x 24" 16 ga. stainless steel tube with welded 11 ga. end brackets.

### S-4041-24-SS

Concealed mount

## Heavy Duty Recessed Soap Dish



### S-2632-SS

20 ga. stainless steel, beveled for secure fit, dimpled for soap.

### S-2631-SS

Rear wall concealed mount

**S-2633-SS** Soap Dish with Bar

**S-2635-SS** Soap Dish with Bar (rear mount)

## Heavy Duty Recessed Tumbler



### S-2620-SS

20 ga. stainless steel, beveled for secure fit.

### S-2621-SS

Rear wall concealed mount

# Security and Vandal Resistant Accessories

## Security Hooks

These security hooks have pivoting ball joints that release when excessive force is applied. Flanges are constructed of 11 gauge stainless steel, and back plates for hook strips use one-piece 14 gauge stainless steel. They are ideal for use in various applications including correctional and psychiatric institutions, as well as schools and military facilities.

### Concealed Mount Security Towel Hook



#### S-4039-SS

3" dia. x 2.5" projection  
(2) 1/4"-20 1-1/2" mounting tee nuts welded to back  
(hardware not included- access behind wall necessary for installation)

### Concealed Mount Security Hook Strip



#### S-4037-SS

6" H x 18" W x 2.5" projection  
(6) 1/4"-20 1-1/2" mounting tee nuts welded to back  
(hardware not included- access behind wall necessary for installation)

### Exposed Mount Security Towel Hook



#### S-4040-SS

3" dia. x 2.5" projection  
Includes (3) 1/4"-20 1-1/2" pin in Torx screws

### Exposed Mount Security Hook Strip



#### S-4038-SS

6" H x 18" W x 2.5" projection  
Includes (6) 1/4"-20 1-1/2" pin in Torx screws

### Hook Strip Shelf



#### K-4038-18-SS

5" H x 18" W x 8" projection  
18 gauge stainless steel construction  
(hardware not included)



Shelf shown mounted above  
(hook strip sold separately)

# Color Options



The Brey-Krause "state-of-the-art" powder coating facility is capable of adding custom colors to a wide variety of standard and custom products.

Brey-Krause has a variety of colors available and in stock, many of which are depicted on this page. Alternative colors and finishes are available upon request. A minimum charge may apply for custom orders.

Wild Rice  
(Textured)

Sky White

Uni-Cream

Almond Wrinkle  
(Textured)

Jollipop Brass

Drum Gray

Clear (Satin  
Stainless  
Antimicrobial)

Safety Yellow

Orange

Red Wrinkle  
(Textured)

Red Baron

Charger Blue

Green

Spartan Bronze

Black Wrinkle  
(Textured)

Flex Black



*NOTE: Due to printing variances, the actual color of the material may differ.*

# Reference: Grab Bar Mounting Kits

## Installation

### To Order Fasteners:

Choose the appropriate mounting kits based on the wall construction and the type of grab bar flanges to be installed. One mounting kit is required for each flange.

Flanges						
Wall	Oval Exposed	Round Exposed	Round Exposed	Concealed	Oval Snap-On	Round Snap-On
Wood Backing	D-1504-01 (Two) #10 x 2" Oval Head SS Sheet Metal Screws	D-1502-01 (Three) #10 x 2" Oval Head SS Sheet Metal Screws	D-1503-01 (Three) #10 x 2" Pan Head SS Sheet Metal Screws	D-1508-01 (Two) #10 x 2" Pan Head SS Sheet Metal Screws	D-1506-01 (Two) #12 x 2" Pan Head SS Sheet Metal Screws	D-1503-01 (Three) #10 x 2" Pan Head SS Sheet Metal Screws
1" Toilet Partition	D-1524-02-SS (One) 3 1/4" Dia. 16 Guage SS Plate with Coupling Nuts & Screws	D-1523-02-SS (One) 3 1/4" Dia. 16 Guage SS Plate with Coupling Nuts & Screws	D-1523-02-SS (One) 3 1/4" Dia. 16 Guage SS Plate with Coupling Nuts & Screws	D-1569-01-SS (One) 3 1/4" Dia. 11 Guage SS Plate with 3/8" Threaded Stud & Nut	D-1526-02-SS (One) 3 1/4" Dia. 16 Guage SS Plate with Coupling Nuts & Screws	D-1523-02-SS (One) 3 1/4" Dia. 16 Guage SS Plate with Coupling Nuts & Screws
Through Wall	Consult Factory					
Dry Wall	D-1544-01 (Two) #10 - 24 x 3" SS Machine Screws with Toggles	D-1542-01 (Three) #10 - 24 x 3" SS Machine Screws with Toggles	D-1550-01 (Three) #10 - 24 x 3" ZP Machine Screw with Toggle	D-1548-01 (One) 3/8" - 16 x 3" ZP Machine Screw with Toggle	D-1546-01 (Two) #10 - 24 x 3" ZP Machine Screw with Toggle	D-1550-01 (Three) #10 - 24 x 3" ZP Machine Screw with Toggle
Masonry Wall	D-1554-01 (Two) #10 - 24 SS Machine Screws with Expansion Shields	D-1552-01 (Three) #10 - 24 SS Machine Screws with Expansion Shields	D-1560-01 (Three) #10 - 24 ZP Machine Screws with Expansion Shields	D-1558-01 (Three) 3/8" - 16 x 3" ZP Machine Screw with Expansion Shield	D-1556-01 (Three) #10 - 24 SS Machine Screws with Expansion Shields	D-1560-01 (Three) #10 - 24 ZP Machine Screws with Expansion Shields
In-Wall Plate	Several Types Available Consult Factory					

Kit D-1523-02-SS

1" toilet partition and round exposed flange.



Kit D-1569-01-SS





1" toilet partition and concealed flange.



# Reference: Railings

## To Order Railings:

We can quote most accurately if you supply the railing number, total footage and prints. Our engineers will work with you to help meet your specific design requirements. Railings are available in numerous configurations. The most popular types are shown below. Other types are available by special request.

Railing Number Designations				
Railing Type	Flange	Railing Number		
		1" Diameter	1 ¼" Diameter	1 ½" Diameter
 Straight Back Slip Supports	A Oval Exposed	D-6583	D-6785	D-7987
	B/C Round Exposed	D-7383 D-4483	D-7485 D-4585	D-7587 D-4687
	D Concealed	D-6983	D-7185	D-7287
	E/F Snap-On	D-8983 D-7683	D-9085 D-7785	D-9187 D-7887
 Underslung Slip Supports	B/C Round Exposed	D-7382 D-4482	D-7484 D-4584	D-7586 D-4686
	D Concealed	D-6982	D-7184	D-7286
	E/F Snap-On	D-8982 D-7682	D-9084 D-7784	D-9186 D-7886
 Straight Back Welded Supports	A Oval Exposed	D-6593	D-6795	D-7997
	B/C Round Exposed	D-7393 D-4493	D-7495 D-4595	D-7597 D-4697
	D Concealed	D-6993	D-7195	D-7297
	E/F Snap-On	D-8993 D-7693	D-9095 D-7795	D-9197 D-7897
 Underslung Welded Supports	B/C Round Exposed	D-7392 D-4492	D-7494 D-4592	D-7596 D-4696
	D Concealed	D-6992	D-7194	D-7296
	E/F Snap-On	D-8992 D-7692	D-9094 D-7794	D-9196 D-7896



## Recommended Construction

### Span:

Recommended maximum span between supports is 60" for 1-1/2" tubing and 48" for 1-1/4" tubing. Recommended height is 33".

### Wall Clearance:

Railings are fabricated with 1-1/2" wall clearance unless otherwise specified.



# Reference: Railings

## Component Selection

### Tubing:

Railings are generally fabricated from 18 gauge (.049) satin finish stainless steel tubing and are available in 1", 1-1/4" or 1-1/2" outside diameter. Brass tubing and other finishes are available by special request.

Flanges: (See grab bar mounting kits in the Technical Notes for flange details)

Flange types (A, B, & C) are exposed screw mount. Type (D) has a concealed flange which locks to a tenon plate with stainless steel set screws after the tenon plate has been mounted. Types (E & F) are snap-on flanges which install like the exposed flanges. Snap-on flanges have factory installed covers which snap over the flanges completely concealing the mounting screws. Other flanges are available by special order.

### Ends:


Flanged end returns (-10) are the most common railing ends specified. (-15) stops approximately 1/4" from the wall and requires a support within 7" - 9". An adjacent wall mount (-40) may be used on a surface 90 degrees to the axis of the railing providing there is a sufficient space for mounting the flange.



-10  
Flanged End Return



-15  
End Return



-40  
Adjacent Wall Mount

### Supports:

Supports can be welded directly to the railing or can be the slip type which allows them to be positioned in the field. 18 gauge x 1" diameter tubing is used to fabricate underslung (-20) & (-25) or straight back (-30) & (-35) supports. The recommended maximum span between supports is 60" for 1 1/2" tubing and 48" for 1 1/4" tubing.



-20  
Underslung Slip  
Support



-25  
Underslung Welded  
Support



-30  
Straight Back  
Slip Support



-35  
Straight Back  
Welded Support

### Bends:


Railings can be fabricated to fit a wide variety of corridors. Bend angles are available to accommodate changes in direction as well as elevation.

### Joints & Sectioning:

Railings can be fabricated up to 20 foot lengths upon request. Two sections of tubing can be joined using (-20) or (-30) slip supports (-75) with sheet metal screws or epoxy or by using an internal sleeve (-70) with epoxy adhesive.



-70  
Splice with Internal Sleeve



-75  
Splice Inside Slip

Hole for sheet metal screw,  
if required

# Reference: Reversible Shower Seat

## Construction:

Brey-Krause L-shaped A.D.A. compliant shower seats are available with reversible handing and a choice of seat top. Reversible shower seat tops may be specified with a one piece ivory or woodgrain phenolic top or with a solid white poly top. The phenolic tops have CNC-machined grooves and holes that provide superior drainage and a more natural appearance, particularly the woodgrain finish. The L-shaped seat can be converted to a rectangular seat by removing the handed portion and replacing it with decorative plastic plugs.



Instead of having to stock multiple shower seats or pre-determine the handing required, the Brey-Krause "reversible handing" shower seats enables the handing to be determined during installation.



**Right Hand**



**Left Hand**

This innovative design enables one shower seat to be configured in either the left-hand or the right-hand configuration

---

**S-6212-SS**  
White Poly

**S-6279-SS**  
Ivory-Phenolic

**S-6280-SS**  
Woodgrain Phenolic

---

Seats are constructed to meet or exceed A.D.A. barrier-free accessibility guidelines. Folding seats utilize a self locking mechanism to help secure them when not in use. Overall dimensions are 32" x 23".

# Reference: Mirrors

## 3-in-1 Mirror


With the unique and innovative Brey-Krause mirror design, you can convert your universal frame mirror into either a fixed tilt mirror or an adjustable tilt mirror.

The standard mirror snaps easily into either frame.




How does a universal frame mirror become a fixed tilt mirror?

These easy steps.



The universal frame mirror snaps easily into the fixed tilt frame.



Uses the same mounting brackets as the universal frame mirror.



Brey-Krause Mirrors Save You Time and Money!

How? They...

- Install in half the time of conventional universal frame mirrors
- Are a better design and quality
- Are boxed individually and can ship by virtually any means without breakage
- Convert easily to fixed tilt or adjustable tilt mirrors thereby reducing your inventory carrying costs.